

# FIRE PROTECTION EQUIPMENT COMPARISON CHART



JL INDUSTRIES    SAMSON PRODUCTS    THOMAS ENTERPRISES

## FPCC0817—November 2008

The following comparisons should be used for cross-reference purposes only. This chart is designed to enable you to quote our products when a competitor's unit is being specified. In no way should their product be considered exactly equal to ours. NOTE: In particular, always check required wall depths of corresponding cabinets against wall thickness in the field.

### CONTENTS

CABINET SERIES and STYLES.....	1
FIRE EXTINGUISHERS.....	2
FIRE EXTINGUISHER CABINETS (Ambassador, Academy and Cosmopolitan).....	3
FIRE EXTINGUISHER CABINETS (Panorama).....	4
FIRE EXTINGUISHER CABINETS (Clear Vu).....	5
FIRE EXTINGUISHER CABINETS (Embassy).....	5
FIRE EXTINGUISHER CABINETS (Cavalier).....	5
SPECIALTY CABINETS (Fire Blankets, Storage Cabinets).....	5
FIRE HOSE and VALVE CABINETS (Crowline).....	6, 7
COMPLIANCE CABINETS (Classic).....	7
CABINET DOORS STYLES.....	8
CABINET DOOR GLAZING.....	8

### CABINET SERIES AND STYLES

JL INDUSTRIES	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
ADAC door option	Flush Pull	-	Recessed pull	-	-FP door style
Ambassador (- - 1 -)	Steel Door & Trim	Standard	Standard	Standard	Alta (steel)
Academy (- - 2 -)	Aluminum Door & Trim	-AL	(AL)	-	Alta (aluminum)
Cosmopolitan (- - 3 -)	Stainless Door & Trim	-SS	(SS)	-	Alta (stainless)
Cavalier (- - 4/5 -)	Bronze/Brass Door & Trim	-	(BZ), (B)	-	Alta (brass only)
Classic	Surface-Mounted Compliance	-	-	Economy	9000 Series
Clear Vu	Bubble Door	Canopy	Cameo	-	Loma
Embassy	Overlapping Door	-	Occult	-	Dana
Fire-FX™	Fire-Rated Cabinet	FR-	Flame-Shield®	(field-assembled)	FRC
Panorama	Frameless Acrylic Door	-	Gemini	Tonna	Buena
Saf-T-Lok™	Non-breakglass Cabinet Lock	BK-Lok	Larsen-Loc®	Lock	Break Rite®



**JL Headquarters:** Bloomington, MN    **Ph:** 800-554-6077    **Fax:** 952-835-2218    **Email:** JL@JLINDUSTRIES.COM

**ACPG Southeast/Thomas Enterprises:** Ft Myers, FL    **Ph:** 800-780-7501    **Fax:** 239-693-7501    **Email:** SALES@THOMASE.COM

# FIRE PROTECTION EQUIPMENT COMPARISON CHART



## FPCC0817

FIRE EXTINGUISHERS				
JL INDUSTRIES	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
Grenadier P	4202	PW 2-1/2	GI K	3202
Cosmic 2-1/2 E	4002	MP 2-1/2	Wing 3N K	3002
Cosmic 5E	4004	MP5	5H B	3005
Cosmic 5X	4005	MP5-A	5H B	3005-3
Cosmic 6E	-	MP6	-	3006
Cosmic 10E	4010	MP10	10H B	3010
Cosmic 20E	4020	MP20	20H B	3020
Sentinel 5	4405	CD5	5HH K	3405
Sentinel 10	4410	CD10	10HH B	3410
Sentinel 15	4415	CD15	15HH K	3415
Sentinel 20	4420	CD20	20HH K	3420
Galaxy 2-1/2	4302	DC 2-1/2	Center 3N K	3302
Galaxy 5	-	DC5	-	3305
Galaxy 5-1/2	4305	-	-	3305-3
Galaxy 6	-	DC6	6H K	3306
Galaxy 10	4310	DC10	10H K	3310
Galaxy 20	4320	DC20	-	3320
Mercury 2-1/2	4132	HT 2-1/2	-	3102
Mercury 5	4135	HT5	-	3105
Mercury 11	4137	HT11	-	3111
Mercury 15-1/2	4139	HT 15-1/2	-	3115
Saturn 15	4834	WC-6L	-	3260
Saturn 25	-	-	-	3262

# FIRE PROTECTION EQUIPMENT COMPARISON CHART



**FPCC0817**

**FIRE EXTINGUISHER CABINETS**  
**(Ambassador, Academy, and Cosmopolitan Series)**

JL INDUSTRIES	TRIM	FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER
8114	NONE	1606	-	-	-
8115, 8125, 8135	FLAT	1600	-	101R1	7007, 7037, 7057
8116, 8126, 8136	1-1/2"	1601	-	101SR2	-
8117, 8127, 8137	2-1/2"	1602	-	101SR3	7008, 7038, 7058
8113, 8123, 8133	SM	1608	-	101SM	7009, 7039, 7059
1815, 1825, 1835	FLAT	-	2409-R1	1025R1	7010, 7030, 7050
1816, 1826, 1836	1-1/2"	-	2409-5R	1025SR2	-
1817, 1827, 1837	3"	-	2409-R3	1025SR3	7012, 7032, 7052
1812, 1822, 1832	4"	-	-	-	-
1818, 1828, 1838	4-1/2"	-	-	-	7013, 7033, 7053
1014	NONE	1616	2409-RT	-	7021, 7041, 7061
1015, 1025, 1035	FLAT	1610	2409-R2	1026R1	7020, 7040, 7060
1016, 1026, 1036	1-1/2"	1611	2409-R7	1026SR2	-
1017, 1027, 1037	3"	1613	2409-6R	1026SR3	7022, 7042, 7062
1012, 1022, 1032	4"	1614	2409-RA	-	-
1018, 1028, 1038	4-1/2"	1615	2409-RM	1026SR4	-
1013, 1023, 1033	SM	1618	2409-SM	1026SM	7024, 7044, 7064
2014	NONE	1626	2712-RT	-	7026, 7046, 7066
2015, 2025, 2035	FLAT	1620	2712-R	104R1	7025, 7045, 7065
2016, 2026, 2036	1-1/4"	1621	2712-RK	104SR2	-
2017, 2027, 2037	2-1/2"	1622	2712-RL	104SR3	7027, 7047, 7067
2012, 2022, 2032	4"	1624	2712-RA	-	-
2018, 2028, 2038	4-1/2"	-	2712-RM	104SR4	7028, 7048, 7068
2013, 2023, 2033	SM	1628	2712-SM	104SM	7029, 7049, 7069
-	FLAT	-	3012-R	-	-
-	1-1/4"	-	3012-RK	-	-
-	2-1/2"	-	3012-RL	-	-
-	4"	-	3012-RA	-	-
-	4-1/2"	-	3012-RM	-	-
-	SM	-	3012-SM	-	-
3015, 3025, 3035	FLAT	1630	M3216-R	105R1	-
3016, 3026, 3036	1-1/4"	1631	M3216-RK	105SR2	-
3017, 3027, 3037	2-1/2"	1632	M3216-RL	105SR3	-
3012, 3022, 3032	4"	1634	M3216-RA	-	-
3018, 3028, 3038	4-1/2"	1635	M3216-RM	105SR4	-
3013, 3023, 3033	SM	1638	M3216-SM	105SM	-
-	FLAT	-	3612-R	-	1708*
-	1-1/4"	-	3612-RK	-	-
-	2-1/2"	-	3612-RL	-	1738*
-	4"	-	3612-RA	-	-
-	4-1/2"	-	3612-RM	-	1748*
-	SM	-	3612-SM	-	1758*
4015, 4025, 4035	FLAT	1640	2720-R	-	-
4016, 4026, 4036	1-1/4"	1641	2720-RK	-	-
4017, 4027, 4037	2-1/2"	1642	2720-RL	-	-
4012, 4022, 4032	4"	1644	2720-RA	-	-
4018, 4028, 4038	4-1/2"	1645	2720-RM	-	-
4013, 4023, 4033	SM	1648	2720-SM	-	-

\* standard steel, or AL for alum, SS for stainless

# FIRE PROTECTION EQUIPMENT COMPARISON CHART



## FPCC0817

### FIRE EXTINGUISHER CABINETS (Panorama Series)

JL INDUSTRIES	TRIM	FIRE END & CROKER	LARSEN'S*	MODERN METAL	POTTER ROEMER
1815, 1825, 1835	FLAT	-	G2409-R1	T1025R1	7110, 7130, 7150
1816, 1826, 1836	1-1/2"	-	G2409-5R	T1025SR2	-
1817, 1827, 1837	3"	-	G2409-R3	T1025SR3	7112, 7132, 7152
1812, 1822, 1832	4"	-	-	-	-
1818, 1828, 1838	4-1/2"	-	-	-	7113, 7133, 7153
1014	NONE	-	G2409-RT	-	7121, 7141, 7161
1015, 1025, 1035	FLAT	-	G2409-R2	T1026R1	7120, 7140, 7160
1016, 1026, 1036	1-1/2"	-	G2409-R7	T1026SR2	-
1017, 1027, 1037	3"	-	G2409-6R	T1026SR3	7122, 7142, 7162
1012, 1022, 1032	4"	-	G2409-RA	-	-
1018, 1028, 1038	4-1/2"	-	G2409-RM	T1026SR4	-
1013, 1023, 1033	SM	-	G2409-SM	T1026SM	7124, 7144, 7164
2014	NONE	-	G2712-RT	-	7126, 7146, 7166
2015, 2025, 2035	FLAT	-	G2712-R	T104R1	7125, 7145, 7165
2016, 2026, 2036	1-1/4"	-	G2712-RK	T104SR2	-
2017, 2027, 2037	2-1/2"	-	G2712-RL	T104SR3	7127, 7147, 7167
2012, 2022, 2032	4"	-	G2712-RA	-	-
2018, 2028, 2038	4-1/2"	-	G2712-RM	T104SR4	7128, 7148, 7168
2013, 2023, 2033	SM	-	G2712-SM	T104SM	7129, 7149, 7169
-	FLAT	-	G3012-R	-	-
-	1-1/4"	-	G3012-RK	-	-
-	2-1/2"	-	G3012-RL	-	-
-	4"	-	G3012-RA	-	-
-	4-1/2"	-	G3012-RM	-	-
-	SM	-	G3012-SM	-	-
3015, 3025, 3035	FLAT	-	GM3216-R	T105R1	-
3016, 3026, 3036	1-1/4"	-	GM3216-RK	T105SR2	-
3017, 3027, 3037	2-1/2"	-	GM3216-RL	T105SR3	-
3012, 3022, 3032	4"	-	GM3216-RA	-	-
3018, 3028, 3038	4-1/2"	-	GM3216-RM	T105SR4	-
3013, 3023, 3033	SM	-	GM3216-SM	T105SM	-
-	FLAT	-	G3612-R	-	-
-	1-1/4"	-	G3612-RK	-	-
-	2-1/2"	-	G3612-RL	-	-
-	4"	-	G3612-RA	-	-
-	4-1/2"	-	G3612-RM	-	-
-	SM	-	G3612-SM	-	-
4015, 4025, 4035	FLAT	-	G2720-R	-	-
4016, 4026, 4036	1-1/4"	-	G2720-RK	-	-
4017, 4027, 4037	2-1/2"	-	G2720-RL	-	-
4012, 4022, 4032	4"	-	G2720-RA	-	-
4018, 4028, 4038	4-1/2"	-	G2720-RM	-	-
4013, 4023, 4033	SM	-	G2720-SM	-	-

\* standard steel, or AL for alum, SS for stainless

# FIRE PROTECTION EQUIPMENT COMPARISON CHART



## FPCC0817

### FIRE EXTINGUISHER CABINETS (Clear Vu Series)

JL INDUSTRIES	TRIM STYLE	FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER
1515, 1525, 1535, 1545, 1555	FLAT	1650	C2409-R	118R1	7320, 7340, 7360, - 7380
1516, 1526, 1536, 1546, 1556	1-1/2"	1651	C2409-5R	118SR2	7322, 7342, 7362, - 7382
1517, 1527, 1537, 1547, 1557	3"	1652	C2409-6R	118SR3	-
1513, 1523, 1533, 1543, 1553	SM	1658	C2409-SM	-	7324, 7344, 7364, - 7384
2515, 2525, 2535, 2545, 2555	FLAT	1660	C3216-R	120R1	7325, 7345, 7365, - 7385
2516, 2526, 2536, 2546, 2556	1-1/2"	1661	-	120SR2	-
2517, 2527, 2537	2-1/2"	1662	C3216-RL	120SR3	7327, 7347, 7367, - 7387
2513, 2523, 2533, 2543, 2553	SM	1668	C3216-SM	-	7329, 7349, 7369, - 7389
4515, 4525, 4535	FLAT	1670	C3228-R	-	-
4513, 4523, 4533	SM	1678	C3228-SM	-	-

### (Embassy Series)

JL INDUSTRIES	TRIM STYLE	FIRE END & CROKER	LARSEN'S*	MODERN METAL	POTTER ROEMER
5614, 5624, 5634, 5644, 5654	NONE	-	O-2409	-	7220, 7240, 7260, - 7280
5714, 5724, 5734, 5744, 5754	NONE	-	O-3216	-	7225, 7245, 7265, - 7285
5814, 5824, 5834, 5844, 5854	NONE	-	O-3232	-	-
5914, 5924, 5934, 5944, 5954	NONE	-	O-4016	-	8225, 8245, 8265, -, -
5514, 5524, 5534, 5544, 5554	NONE	-	O-1818	-	8220, 8240, 8260, -, -

### (Cavalier Series)

JL INDUSTRIES (Bronze or Brass)	TRIM STYLE	FIRE END & CROKER	LARSEN'S (Bronze or Brass)	MODERN METAL	POTTER ROEMER (Brass only)
1845, 1855	FLAT	-	BZ, B 2409-R1	-	-, 7070
1846, 1856	1-1/2"	-	BZ, B 2409-5R	-	-
1847, 1857	3"	-	BZ, B 2409-R3	-	-, 7072
1045, 1055	FLAT	-	BZ, B 2409-R2	-	-, 7080
1046, 1056	1-1/2"	-	BZ, B 2409-R7	-	-
1047, 1057	3"	-	BZ, B 2409-6R	-	-, 7082
1043, 1053	SM	-	BZ, B 2409-SM	-	-, 7084
2045, 2055	FLAT	-	BZ, B 2712-R	-	-, 7085
2046, 2056	1-1/2"	-	BZ, B 2712-RK	-	-
2043, 2053	SM	-	-	-	-, 7089

### SPECIALTY CABINETS: Fire Blanket Cabinets

JL INDUSTRIES	TRIM STYLE	FIRE END & CROKER	LARSEN'S	POTTER ROEMER	POTTER ROEMER
ROYAL 1 FB	SM	7162	FB68-6	-	6601
ROYAL 2 FB	SM	7164	FB1016	601-B	6603

### SPECIALTY CABINETS: Storage Cabinets

JL INDUSTRIES	FIRE END & CROKER	LARSEN'S	POTTER ROEMER
FIRE HOSE EQUIPMENT CABINET	7022	15-58	6030

\* standard steel, or AL for alum, SS for stainless

## FIRE PROTECTION EQUIPMENT COMPARISON CHART



### FPCC0817

#### **FIRE HOSE AND VALVE CABINETS** **(Crownline Series)**

JL INDUSTRIES	TRIM STYLE	FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER*
6014	NONE	1006	-	-	1012
6015, 6025, 6035	FLAT	1000	-	-	1002
6016, 6026, 6036	1-1/4"	1001	-	-	-
6017, 6027, 6037	2-1/2"	1002	-	-	1022
6013, 6023, 6039	SM	1008	-	-	1052
6114	NONE	1106	VC2430-RT	-	1112
6115, 6125, 6135	FLAT	1100	VC2430-R	-	1102
6116, 6126, 6136	1-1/4"	1101	VC2430-RK	-	-
6117, 6127, 6137	2-1/2"	1102	VC2430-RL	-	1122
6113, 6123, 6139	SM	1108	VC2430-SM	-	1152
6214	NONE	1016	-	-	1014
6215, 6225, 6235	FLAT	1010	-	-	1004
6216, 6226, 6236	1-1/4"	1011	-	-	-
6217, 6227, 6237	2-1/2"	1012	-	-	1024
6213, 6223, 6239	SM	1018	-	-	1054
6314	NONE	-	HC3030-RT	-	1412
6315, 6325, 6335	FLAT	-	HC3030-R	-	1402
6316, 6326, 6336	1-1/4"	-	HC3030-RK	-	-
6317, 6327, 6337	2-1/2"	-	HC3030-RL	-	1432
6313, 6323, 6339	SM	-	HC3030-SM	-	1452
6414	NONE	1116	HC2434-RT	-	1114 / 1214
6415, 6425, 6435	FLAT	1110	HC2434-R	-	1104 / 1204
6416, 6426, 6436	1-1/4"	1111	HC2434-RK	-	-
6417, 6427, 6437	2-1/2"	1112	HC2434-RL	-	1124 / 1224
6413, 6423, 6439	SM	1118	HC2434-SM	-	1154 / 1254
6514	NONE	1306/1406	HC3234-RT	-	1414 / 1514
6515, 6525, 6535	FLAT	1300/1400	HC3234-R	-	1404 / 1504
6516, 6526, 6536	1-1/4"	1301/1401	HC3234-RK	-	-
6517, 6527, 6537	2-1/2"	1302/1402	HC3234-RL	-	1434 / 1534
6513, 6523, 6539	SM	1308/1408	HC3234-SM	-	1454 / 1554
6614	NONE	1126/1206	HC2438-RT	-	1116 / 1216
6615, 6625, 6635	FLAT	1120/1200	HC2438-R	-	1106 / 1206
6616, 6626, 6636	1-1/4"	1121/1201	HC2438-RK	-	-
6617, 6627, 6637	2-1/2"	1122/1202	HC2438-RL	-	1126 / 1226
6613, 6623, 6639	SM	1128/1208	HC2438-SM	-	1156 / 1256
7214	NONE	1216/1316/1416	HC3238-RT	-	1416 / 1516
7215, 7225, 7235	FLAT	1210/1310/1410	HC3238-R	-	1406 / 1506
7216, 7226, 7236	1-1/4"	1211/1311/1411	HC3238-RK	-	-
7217, 7227, 7237	2-1/2"	1212/1312/1412	HC3238-RL	-	1436 / 1536
7213, 7223, 7239	SM	1218/1318/1418	HC3238-SM	-	1456 / 1556

\* standard steel, or AL for alum, SS for stainless

## FIRE PROTECTION EQUIPMENT COMPARISON CHART



### FPCC0817

#### FIRE HOSE AND VALVE CABINETS (Crownline Series—Continued)

JL INDUSTRIES	TRIM STYLE	FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER
8014	NONE	1776	VC4016-RT	-	8026, 8046, 8066 / 1871*
8015, 8025, 8035	FLAT	1770	VC4016-R	-	8025, 8045, 8065 / 1870*
8016, 8026, 8036	1-1/4"	1771	VC4016-RK	-	-
8017, 8027, 8037	2-1/2"	1772	VC4016-RL	-	8027, 8047, 8067 / 1872*
8013, 8023, 8039	SM	1778	VC4016-SM	-	8029, 8049, 8069 / 1875*
8414	NONE	1716	-	-	-
8415, 8425, 8435	FLAT	1710	-	-	-
8416, 8426, 8436	1-1/4"	1711	-	-	-
8417, 8427, 8437	2-1/2"	1712	-	-	-
8413, 8423, 8439	SM	1718	-	-	-
8514	NONE	1706	VC1818-RT	-	8021, 8041, 8061 / 1811*
8515, 8525, 8535	FLAT	1700	VC1818-R	-	8020, 8040, 8060 / 1810*
8516, 8526, 8536	1-1/4"	1701	VC1818-RK	-	-
8517, 8527, 8537	2-1/2"	1702	VC1818-RL	-	8022, 8042, 8062 / 1812*
8513, 8523, 8539	SM	1708	VC1818-SM	-	8024, 8044, 8064 / 1815*
8614	NONE	1726	-	-	1831*
8615, 8625, 8635	FLAT	1720	-	-	1830*
8616, 8626, 8636	1-1/4"	1721	-	-	-
8617, 8627, 8637	2-1/2"	1722	-	-	1832*
8613, 8623, 8639	SM	1728	-	-	1835*
8714	NONE	-	VC2626-RT	-	-
8715, 8725, 8725	FLAT	-	VC2626-R	-	-
8716, 8726, 8736	1-1/4"	-	VC2626-RK	-	-
8717, 8727, 8737	2-1/2"	-	VC2626-RL	-	-
8713, 8723, 8739	SM	-	VC2626-SM	-	-

#### COMPLIANCE CABINETS: Classic Series

JL INDUSTRIES GALV. STEEL ALUM.	OLD	TRIM	FIRE END & CROKER	LARSEN'S	MODERN METAL (steel)	POTTER ROEMER
9163Z30	9123Z30	99G	SM	-	510SMG	9721/9751
916AZ30	912AZ30	99GT	2-3/4"	-	510SR	9731**
9263Z30	9223Z30	999G	SM	-	530SMG	9722/9752
926AZ30	922AZ30	999GT	2-3/4"	-	530SR	9732**
936AZ30	932AZ30	104GT	4-1/2"	-	-	-
9363Z30	9323Z30	104G	SM	-	550SMG	9723**

\* standard steel, or AL for alum, SS for stainless

\*\* discontinued in 2002

# FIRE PROTECTION EQUIPMENT COMPARISON CHART

## FPCC0817

### CABINET DOOR STYLES

JL	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	P. ROEMER
B	Solid with glass and SAF-T-LOK™	SBG	-	-	-E
D	Duo panel with pull handle	D	Horizontal duo	Duo	-D
E	Duo panel with SAF-T-LOK™	D w/lock	Horz. duo w/Larsen-Loc ®	-	-D w/BK
F	Full glass with pull handle	A	Full panel	Full glass	-A
G	Full glass with SAF-T-LOK™	A w/lock	Full panel w/Larsen-Loc ®	Break glass	-B
L22	Solid with lock, no glazing and pull	E w/lock	Solid w/Larsen-Loc ®	-	-FS
S21	Solid with pull handle no glazing	E	Solid	Solid	-F
V	Vertical Duo Panel with pull	DV	Vertical duo	Vertical duo	-DV
W	Vertical Duo Panel with SAF-T-LOK™	DV w/lock	Vert. duo w/Larsen-Loc ®	-	-DVL

### PANORAMA DOOR STYLES

C	Clear acrylic with pull	-	Clear no letters	Clear	Buena A16
C71	Clear acrylic with SAF-T-LOK™	-	Clear no letters, Larsen-Loc	Clear with lock	Buena E16
P	Colored acrylic with pull	-	Colored w/letters	Clear w/letters	A (17-20)
Q	Colored acrylic with SAF-T-LOK™	-	Colored letters, Larsen-Loc	Clear letters, lock	E (17-20)

### CABINET DOOR GLAZING

JL	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
10	Clear acrylic	Clear acrylic	Clear acrylic	Clear acrylic	- 6, Clear acrylic
13	Clear wire	Wire glass	Clear wire	Wire glass	- 5, Wire glass
15	1/4" bronze acrylic	-	Bronze acrylic	Bronze acrylic	- 7, Amber acrylic
16	1/4" gray acrylic	-	Gray acrylic	Gray acrylic	- 9, Smoke acrylic
17	Clear tempered glass	Clear temp glass	Clear temp.	Tempered glass	Clear temp (std)
18	Clear safety glass	Laminated safety glass	Safety glass	-	Safety glass
25	Clear VU (15, 25, 45 size) clear	Clear	Clear bubble	-	BA6
26	Clear VU (15, 25, 45 size) red	Specify	Red bubble	-	-
27	Clear VU (15, 25, 45 size) bronze	Specify	Bronze bubble	-	BA7

### PANORAMA GLAZING STYLES

40	3/16" Black acrylic with white "V" letter	-	Black w/white "V"	W-B, vertical	-
41	3/16" Red acrylic with white "V" letter	-	Red w/white "V"	W-R, vertical	20-VW
42	3/16" White acrylic with black "V" letter	-	White w/black "V"	B-W, vertical	18-VB
43	3/16" White acrylic with red "V" letter	-	White w/red "V"	R-W, vertical	18-VR
45	3/16" Black acrylic with white "H" letter	-	Black w/white "H"	W-B, horizontal	-
46	3/16" Red acrylic with white "H" letter	-	Red w/white "H"	W-R, horizontal	20-HW
47	3/16" White acrylic with black "H" letter	-	White w/black "H"	B-W, horizontal	18-HB
48	3/16" White acrylic with red "H" letter	-	White w/red "H"	R-W, horizontal	18-HR
50	3/16" Black acrylic with white "A" letter	-	Black w/white "A"	-	-
51	3/16" Red acrylic with white "A" letter	-	Red w/white "A"	-	20-VAW
52	3/16" White acrylic with black "A" letter	-	White w/black "A"	-	18-VAB
53	3/16" White acrylic with red "A" letter	-	White w/red "A"	-	18-VAR
70	Clear 1/4" acrylic with pull handle	-	Clear	Clear	Buena A16
71	Clear 1/4" acrylic with SAF-T-LOK™	-	Clear, Larsen-Loc	Clear with lock	Buena E16



JL Headquarters: Bloomington, MN Ph: 800-554-6077 Fax: 952-835-2218 Email: JL@JLINDUSTRIES.COM

ACPG Southeast/Thomas Enterprises: Ft Myers, FL Ph: 800-780-7501 Fax: 239-693-7501 Email: SALES@THOMASE.COM